5

15

WHAT IS CLAIMED IS:

1. A portable image pickup apparatus comprising:

an apparatus proper that comprises a camera unit, a lens for said camera unit, and a band attached to a band attaching unit of said apparatus proper for wearing the apparatus proper on a user's body; and

an attachment attachable to said apparatus proper so as to avoid said band-attaching unit, said attachment having a light transmission part that covers at least said lens.

- 10 2. The portable image pickup apparatus according to claim 1, wherein said attachment comprises a hook being engaged with an outer periphery of said apparatus proper for fixing purposes.
 - 3. The portable image pickup apparatus according to claim 2, wherein said hook is integral with said attachment.
 - 4. The portable image pickup apparatus according to claim 2, wherein said hook is separated from said attachment; and comprising:

a spring for urging said hook towards said apparatus proper for fixing purposes.

- 5. The portable image pickup apparatus according to claim 1, wherein said attachment comprises a belt for fastening said attachment to said apparatus proper.
- 6. The portable image pickup apparatus according to claim 1, wherein said attachment has a hole in which said apparatus proper is engaged at

25

5

15

25

an outer periphery thereof.

7. The portable image pickup apparatus according to claim 1, wherein said. apparatus proper comprises a spring rod for attaching said band to said apparatus proper; and

said attachment comprises a portion for fastening said attachment to said spring rod.

- 8. The portable image pickup apparatus according to claim 1,
 wherein said light transmission part of said attachment has a special image pickup function unit for producing a special image pickup effect in image pickup.
 - 9. The portable image pickup apparatus according to claim 1, wherein said special image pickup function unit is provided removably to said attachment.
 - 10. The portable image pickup apparatus according to claim 1, wherein said apparatus proper further comprises a display unit for displaying an picked-up image; and

said attachment being made of a material having light transmission parts that aligns with said lens and said display unit.

- 11. The portable image pickup apparatus according to claim 1, wherein said apparatus proper comprises a pair of band attaching units each provided at a respective one of ends thereof for attaching a wristband thereto.
 - 12. An attachment for a portable image pickup apparatus

comprising an apparatus proper that comprises a camera unit, a lens for the camera unit, and a band attached to a band attaching unit of the apparatus proper for wearing the apparatus proper on a user's body, said attachment being attachable to the apparatus proper so as to avoid the band-attaching unit, said attachment providing a light transmission part that covers at least the lens.

13. The attachment according to claim 12, wherein said attachment comprises a hook being engaged with an outer periphery of the apparatus proper for fixing purposes.

10

15

5

- 14. The attachment according to claim 13, wherein said hook is integral with said attachment.
- 15. The attachment according to claim 13, wherein said hook is separated from said attachment; and comprising:

a spring for urging said hook towards the apparatus proper for fixing purposes.

- The attachment according to claim 12, wherein said attachmentcomprises a belt for fastening said attachment to the apparatus proper.
 - 17. The attachment according to claim 12, wherein said attachment has a hole in which the apparatus proper is engaged at an outer periphery thereof.

25

18. The attachment according to claim 12, wherein said light transmission part of said attachment has a special image pickup function unit for

producing a special image pickup effect in image pickup.

19. The attachment according to claim 18, wherein said special image pickup function unit is provided removably to said attachment.

5

20. The attachment according to claim 12, wherein the apparatus proper further comprises a display unit for displaying an picked-up image; and said attachment being made of a material having light transmission parts that aligns with the lens and the display unit.